

Accession Form Sterility R&D Testing Service



Page 1/2

Customer		Purchase Details	
Name of sender:		Administrator:	
Institute / Company:		Invoice department:	
Department:		Invoice address:	
Shipment address:		Zip / City:	
Zip / City:		Country:	
Country:		e-mail address:	
e-mail address:		Phone number:	
Phone number:		VAT:	
Fax number:		Your Order:	
Other contact person: e-mail address:		Your customer N ^o (if known)	
		Your P.O. N ^o (if required)	

Please Note: Sterility testing requires matrix compatibility testing, please inquire! Only biological sample material classified laboratory containment level 1 or 2 can be accepted. The offered detection service is for quality control purposes only, not for clinical diagnosis. **No samples are accepted unless Minerva Analytix receives this signed form.**

My samples are:

- Express** (Same day report, requires on-site delivery till 09:00 o'clock, attention: additional charges apply)
 Phase II Matrix (if known: Method Master File Number)

Heat-inactivated. Sample should be taken under sterile conditions. Elimination of antibiotics is not necessary. Samples are heated prior shipment at 95 °C for 10 minutes in a sterile reaction tube to prevent DNA degradation and false negative results. The so treated material is stable for up to 5 days at room temperature. This option is for e.g. cell culture supernatants and low protein samples (≤ 10 mg/ml). **Option for: R&D Samples (BactPrime/FungiPrime/SteriPrime).**

Native. Sample should be taken under sterile conditions. Elimination of antibiotics is not necessary. Ship native samples with cool packs or on dry ice. Use overnight services. Label all tubes and containers properly. Enclose with all samples a completed copy of this form sheet. Package your samples in a secondary packaging (e.g. put sample tubes into a zipper bag or 50 ml tube) and protect them from crushing. This option is for e.g. high protein contents or vital testing (10-20 mg/ml). **Option for: R&D Samples (BactPrime/FungiPrime/SteriPrime).**

I would like to receive my results as following:

E-mail and regular mail

Fax

I accept the general terms and conditions		To be filled out by Minerva Analytix	
Name:		Registration No:	
Signature:		Time of registration:	
Date:	__ / __ / ____	Date of registration:	__ / __ / ____

N ^o	Sample Code	Volume in ml	Date sample preparation	BactPrime	FungiPrime	SteriPrime
				Inactivated Or Native	Inactivated Or Native	Inactivated Or Native
				41-1003 3 x 500 µl	41-1004 3 x 500 µl	41-1005 6 x 500 µl
1				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
13				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
14				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
15				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
16				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
17				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
18				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
19				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
20				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Please ship your samples to the address below

Minerva Analytix GmbH

Ladestraße 6
D-15834 Rangsdorf
Germany

© 2020 Minerva Analytix GmbH / F4.5-06.v1EN

info@minerva-analytix.com

www.minerva-analytix.com